

Nachzuchtstatistik der Familie 'Estrildidae - Prachtfinken' (2000)

Jahr	Deutscher Name	Wissensch. Name	Paare	1,0	0,1	Unbek.	Gesamt
2000	ROTKOPFAMADINE	Amadina erythrocephala (Linné, 1758)	3	3	5	4	12
2000	ROTKOPFAMADINE	Amadina erythrocephala dissita (Clancey)	2	3	3	0	6
2000	BANDAMADINE (BANDFINK)	Amadina fasciata (Gmelin, 1789)	9	18	22	0	40
2000	TÜPFELASTRILD (TIGERFINK)	Amandava amandava (Linné, 1758)	9	26	19	3	48
2000	GOLDBRÜSTCHEN	Amandava subflava (Vieillot, 1819)	19	57	52	0	109
2000	MALERAMADINE (GEMALTE AMADINE, GEMALTER ASTRILD)	Emblema picta (Gould, 1842)	40	92	95	0	187
2000	BUNKOPF-PAPAGEIAMADINE	Erythrura coloria (Ripley & Rabor, 1961)	18	40	48	0	88
2000	PEALES PAPAGEIAMADINE (FIDSCHIPAPAGEIAMADINE)	Erythrura cyaneovirens pealii (Hartlaub, 1852)	10	32	29	0	61
2000	GOULDAMADINE	Erythrura gouldiae (Gould, 1844)	290	710	716	107	1533
2000	LAUCHGRÜNE PAPAGEIAMADINE	Erythrura prasina (Sparman, 1788)	9	12	8	0	20
2000	ROTKÖPFIGE PAPAGEIAMADINE	Erythrura psittacea (Gmelin, 1789)	50	101	107	35	243
2000	DREIFARBIGE PAPAGEIAMADINE	Erythrura trichroa (Kittlitz, 1935)	1	1	2	0	3
2000	AUSTRALISCHE DREIFARBEN PAPAGEIAMADINE (DREIFARBIGE PAPAGEIAMADINE)	Erythrura trichroa sigillifera (De Vis, 1897)	22	45	29	17	91
2000	BLAUGRÜNE PAPAGEIAMADINE (FORBES PAPAGEIAMADINE)	Erythrura tricolor (Vieillot, 1817)	21	57	48	27	132
2000	WELLENASTRILD	Estrilda astrild angolensis (Reichenow, 1902)	2	3	3	0	6
2000	WELLENASTRILD	Estrilda astrild jagoensis (Alexander, 1898)	1	2	1	0	3
2000	KAPPENASTRILD	Estrilda atricapilla (J. & E. Verreaux, 1851)	1	2	0	0	2
2000	SCHÖNBÜRZEL	Estrilda caerulea (Vieillot, 1817)	7	19	12	5	36
2000	ELFENASTRILD	Estrilda erythroneura (Vieillot, 1817)	2	3	5	0	8
2000	NONNENASTRILD	Estrilda nonnula eisentrauti (Wolters, 1964)	1	4	3	0	7
2000	SCHWARZSCHWANZ-SCHÖNBÜRZEL	Estrilda perreini incana (Sundevall, 1850)	1	0	4	0	4
2000	GELBBAUCHASTRILD	Estrilda quartinia quartinia (Bonaparte, 1850)	1	1	2	0	3
2000	GRAUASTRILD	Estrilda troglodytes (Lichtenstein, 1823)	2	2	4	0	6
2000	DYBOWSKIASTRILD (DYBOWSKIS TROPFENASTRILD)	Euschistospiza dybowskii (Oustalet, 1892)	6	22	25	0	47
2000	WEISSBRUSTNONNE (WEISSBRUST-SCHILFFINK)	Heteromunia pectoralis (Gould, 1840)	3	7	10	0	17
2000	SELTENER AMARANT (SCHWARZBAUCHAMARANT)	Lagonosticta rara (Antinori, 1864)	1	3	1	0	4
2000	ROSENAMARANT	Lagonosticta rhodopareia (Heuglin, 1868)	1	0	1	0	1
2000	DUNKELROTER AMARANT (DUNKELAMARANT)	Lagonosticta rubricata (Lichtenstein, 1823)	2	6	6	0	12
2000	SENEGALAMARANT (ROTER AMARANT)	Lagonosticta senegala (Linné, 1766)	6	13	12	0	25
2000	SENEGALAMARANT (ROTER AMARANT)	Lagonosticta senegala flavodorsalis (Zedlitz, 1910)	6	12	9	0	21
2000	SENEGALAMARANT (ROTER AMARANT)	Lagonosticta senegala rhodopsis (Heuglin, 1863)	2	0	0	6	6

Nachzuchtstatistik der Familie 'Estrildidae - Prachtfinken' (2000)

2000	GLANZELSTERCHEN (ZWEIFARBENELSTERCHEN)	Lonchura bicolor (Fraser, 1843)	1	0	0	11	11
2000	SILBERSCHNÄBELCHEN	Lonchura cantans (Gmelin, 1789)	22	52	45	32	129
2000	BRAUNBRUSTNONNE (BRAUNBRUST-SCHILFFINK)	Lonchura castaneothorax (Gould, 1837)	5	12	13	4	29
2000	KLEINELSTERCHEN	Lonchura cucullata (Swainson, 1837)	2	8	9	0	17
2000	JAPANISCHES MÖVCHEN (DOMJM)	Lonchura domestica (DOMJM)	157	233	200	267	700
2000	GILBNONNE (GELBER SCHILFFINK)	Lonchura flaviprymna (Gould, 1845)	1	2	0	0	2
2000	DICKSCHNABELNONNE	Lonchura grandis (Sharpe, 1882)	1	4	1	0	5
2000	PERLHALSAMADINE (PERLHALSELSTERCHEN, GRAUKOPFELSTERCHEN)	Lonchura griseicapilla (Delacour, 1943)	5	3	2	3	8
2000	JAVABRONZEMÄNNCHEN (SCHWARZBÜRZEL-BRONZEMÄNNCHEN)	Lonchura leucogastroides (Horsfield & Moore, 1858)	2	0	0	4	4
2000	MALABARFASÄNCHEN (MALABARAMADINE)	Lonchura malabarica (Linné, 1758)	12	13	11	33	57
2000	SCHWARZBAUCHNONNE (SCHWARZKOPFNONNE , BRAUNKOPFNONNE)	Lonchura malacca brunneiceps (Walden, 1872)	1	0	0	3	3
2000	WELLENBAUCH-BRONZEMÄNNCHEN	Lonchura molucca (Linné, 1766)	4	8	5	0	13
2000	WEISSSCHEITELNONNE	Lonchura nevermanni (Stresemann, 1934)	1	0	0	1	1
2000	REISAMADINE - Domestizierte Form (REISFINK)	Lonchura oryzivora (DOMRA)	88	121	86	263	470
2000	MUSKATFINK (MUSKATBRONZEMÄNNCHEN)	Lonchura punctulata (Linnaeus, 1758)	5	7	7	8	22
2000	FÜNFFARBENNONNE	Lonchura quinticolor (Vieillot, 1807)	2	0	0	6	6
2000	PRACHTNONNE	Lonchura spectabilis (Sclater, 1879)	2	0	0	5	5
2000	HADESNONNE	Lonchura stygia (Stresemann, 1934)	1	0	0	1	1
2000	GRÜNER TROPFENASTRILD	Mandingoa nitidula (Hartlaub, 1865)	2	3	2	0	5
2000	ZERESAMADINE	Neochmia modesta (Gould, 1837)	16	56	49	0	105
2000	WEISSBAUCH-SONNENASTRILD	Neochmia phaeton albiventer (Hombron & Jacquinot, 1841)	5	12	10	2	24
2000	SCHWARZBAUCH-SONNENASTRILD	Neochmia phaeton iredalei (Mathews, 1912)	3	6	12	0	18
2000	BINSENAMADINE (BINSENASTRILD)	Neochmia ruficauda (Gould, 1837)	53	141	111	7	259
2000	DORNASTRILD (DORNAMADINE)	Neochmia temporalis (Latham, 1801)	12	50	36	0	86
2000	SCHWARZKINN-WACHTELASTRILD	Ortygospiza gabonensis (Lynes, 1914)	1	2	1	0	3
2000	SPITZSCHWANZAMADINE	Poephila acuticauda (Gould, 1839)	14	19	16	42	77
2000	ROTSCHNÄBLIGE SPITZSCHWANZAMADINE	Poephila acuticauda hecki (Heinroth, 1900)	127	302	256	65	623
2000	GÜRTELAMADINE	Poephila cincta (Gould, 1836)	37	48	47	87	182
2000	MASKENAMADINE	Poephila personata (Gould, 1842)	15	22	25	28	75
2000	ROTMASKENASTRILD	Pytilia hypogrammica hypogrammica (Sharpe, 1870)	1	0	2	0	2
2000	AURORAASTRILD	Pytilia phoenicoptera (Swainson, 1837)	7	16	12	0	28
2000	ROTBRUST-SAMENKNACKER	Spermophaga haematina (Vieillot, 1805)	2	4	4	0	8
2000	DIAMANTAMADINE (DIAMANTFINK)	Stagonopleura guttata (Shaw, 1796)	44	98	80	46	224
2000	RINGELAMADINE (RINGELASTRILD)	Taeniopygia bichenovii (Vigors & Horsfield, 1827)	31	78	67	26	171
2000	ZEBRAFINK	Taeniopygia guttata (Vieillot, 1817)	4	6	10	0	16

Nachzuchtstatistik der Familie 'Estrildidae - Prachtfinken' (2000)

2000	ZEBRAFINK (Domestizierte Form)	Taeniopygia guttata castanotis (DOMZF)	667	1832	1606	478	3916
2000	AUSTRALISCHER ZEBRAFINK	Taeniopygia guttata castanotis (Gould, 1837)	17	70	43	0	113
2000	ANGOLASCHMETTERLINGSFINK	Uraeginthus angolensis (Linné, 1758)	3	3	4	0	7
2000	ANGOLASCHMETTERLINGSFINK	Uraeginthus angolensis natalensis (Zedlitz, 1911)	1	3	2	0	5
2000	SCHMETTERLINGSFINK (SCHMETTERLINGSASTRILD)	Uraeginthus bengalus (Linné, 1766)	9	15	17	4	36
2000	SCHMETTERLINGSFINK (SCHMETTERLINGSASTRILD)	Uraeginthus bengalus brunneigularis (Mearns, 1911)	1	2	1	0	3
2000	BLAUKOPF-SCHMETTERLINGSFINK	Uraeginthus cyanocephalus (Richmond, 1897)	8	20	15	0	35
2000	VEILCHENASTRILD (PURPURGRANATASTRILD)	Uraeginthus ianthinogaster (Reichenow, 1879)	1	2	0	0	2